



VILLAGE OF
TANNERSVILLE
SURPLUS EQUIPMENT
BID REQUEST

Sealed Bids Due:
October 11th, 2024 at 11 a.m.

ABSTRACT:

NOTICE IS HEREBY GIVEN that the Village of Tannersville (the "Village") will review sealed bids, which must be received by the Village Clerk on October 11th, 2024 at 11 a.m. at The Village of Tannersville Village Clerk's Office 1 Park Lane, PO Box 967, Tannersville, NY 12485, to sell surplus equipment in "as is-where is" condition, which is available for inspection by appointment. Said bids will be opened at October 11, 2024 at 11 a.m. and will be discussed at the October 15, 2024 Village Board meeting or at a special meeting at another date and time. The terms of the sale shall be in cash (certified check or bank cashier's check). Bids are to be submitted in an envelope plainly marked "Bid of Surplus Equipment" and specify the piece of equipment bidding on. It is the responsibility of any prospective bidder or purchaser to investigate and ascertain the condition of the items being sold prior to the date of bidding as the Village makes representations or warranties, expressed or implied, with respect to the suitability or fitness of these items for the purpose for which they may be utilized by the purchaser. Inquiries and requests for appointment shall be directed to voffice@hvc.rr.com and tannersvillewater@gmail.com.

Please take notice that bids received after the exact time and date for submission or any exact amended or adjourned date and time, will not be accepted for consideration.

Any questions regarding this bid package must be received by Friday, October 4th, 2024 at 3:30 PM and answers to submitted questions, along with this package shall be posted on the Village's website at www.tannersvilleny.org.

Prospective bidders are encouraged to register with the Village Clerk's office to receive any and all addenda should they be issued.

Village of Tannersville

Surplus Vehicles and Equipment:

2021 Western Star Dump Truck with sander, plow and wing
VIN 5KKA AVFE4MLMP9334



VILLAGE OF TANNERSVILLE SURPLUS EQUIPMENT BID REQUEST



Mileage 6,676



Note Roller is not included



Specifications:

2021 Western Star Dump Truck with sander, plow and wing
VIN 5KKA AVFE4MLMP9334

Vehicle Configuration

4700 SET-FORWARD FRONT AXLE CHASSIS
2021 MODEL YEAR SPECIFIED
SET FORWARD AXLE - TRUCK
TRAILER TOWING PROVISION AT END OF
FRAME
LH PRIMARY STEERING LOCATION

General Service

TRUCK/TRAILER CONFIGURATION
DOMICILED, USA 50 STATES (INCLUDING
CALIFORNIA AND CARB OPT-IN STATES)
CONSTRUCTION SERVICE
GOVERNMENT BUSINESS SEGMENT
DIRT/SAND/ROCK COMMODITY
TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN
TRANSIT, IS SPENT ON NON-PAVED ROADS
MAXIMUM 8% EXPECTED GRADE
MAINTAINED GRAVEL OR CRUSHED ROCK -
MOST SEVERE IN-TRANSIT (BETWEEN SITES)
ROAD SURFACE
WESTERN STAR VOCATIONAL WARRANTY
EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD :
30000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 48000.0 lbs
EXPECTED GROSS COMBINATION WEIGHT :
50000.0 lbs

	Description
Truck Service	FRONT PLOW/END DUMP BODY
Tractor Service	FLATBED TRAILER SINGLE (1) TRAILER
Engine	CUM L9 350 HP @ 2000 RPM, 2200 GOV RPM, 1150 LB/FT @ 1400 RPM
Electronic Parameters	75 MPH ROAD SPEED LIMIT CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT PTO MODE ENGINE RPM LIMIT - 700 RPM PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED PTO RPM WITH CRUISE SET SWITCH - 700 RPM PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM PTO MODE CANCEL VEHICLE SPEED - 5 MPH PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND PTO MINIMUM RPM - 700 REGEN INHIBIT SPEED THRESHOLD - 5 MPH
Engine Equipment	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR) STANDARD OIL PAN OIL FILL AND DIPSTICK LOCATED FOR ENHANCED SERVICEABILITY ONE PIECE VALVE COVER SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH Safety ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR DR 12V 200 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

Description

(3) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 510RC, THREADED STUD BATTERIES
 BATTERY BOX FRAME MOUNTED
 LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB
 WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
 NON-POLISHED BATTERY BOX COVER
 POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH
 LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM
 CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
 AIR COMPRESSOR DISCHARGE LINE
 ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
 CUMMINS INTEBRAKE COMPRESSION BRAKE WITH (2) SWITCHES; (1) ON/OFF AND (1) LOW/MEDIUM/HIGH RETARDATION LEVEL
 RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
 11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
 RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
 13 GALLON DIESEL EXHAUST FLUID TANK
 100 PERCENT DIESEL EXHAUST FLUID FILL
 STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
 NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER
 LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
 STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD

Description

HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE
 AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
 CUMMINS SPIN ON FUEL FILTER
 COMBINATION FULL FLOW/BYPASS OIL FILTER
 PENRAY NEED RELEASE WATER FILTER
 1300 SQUARE INCH ALUMINUM RADIATOR
 MOUNTING FOR FIREWALL MOUNTED SURGE TANK
 ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT
 GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
 CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
 RADIATOR DRAIN VALVE
 LOWER RADIATOR GUARD
 1350 ADAPTER FLANGE FOR FRONT PTO PROVISION
 PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
 PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER
 CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
 ALUMINUM FLYWHEEL HOUSING
 ELECTRIC GRID AIR INTAKE WARMER
 DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
 ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

Description

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 3, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED

NO REAR PTO TRANSMISSION RANGE

BODY LIGHTING POWER WIRED TO CUSTOMER INTERFACE CONNECTOR WITH SEPARATE STOP/TURN

ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 280 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

MFS-18-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE

Description

MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
 NON-ASBESTOS FRONT BRAKE LINING
 CONMET CAST IRON FRONT BRAKE DRUMS
 FRONT BRAKE DUST SHIELDS
 FRONT OIL SEALS
 VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
 STANDARD SPINDLE NUTS FOR ALL AXLES
 HALDEX AUTOMATIC FRONT SLACK ADJUSTERS
 STANDARD KING PIN BUSHINGS
 TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
 POWER STEERING PUMP
 4 QUART POWER STEERING RESERVOIR
 OIL/AIR POWER STEERING COOLER
 SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

18,000# TAPERLEAF FRONT SUSPENSION
 MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
 FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-30-185 30,000# U-SERIES SINGLE REAR AXLE
 6.14 REAR AXLE RATIO
 IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
 SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES
 DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE
 (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE
 INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH
 MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES
 NON-ASBESTOS REAR BRAKE LINING

Description

BRAKE CAMS AND CHAMBERS ON FORWARD
SIDE OF DRIVE AXLE(S)
WEBB CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 1-DRIVE
AXLE SPRING PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

30,000# FLAT LEAF SPRING REAR SUSPENSION
WITH HELPER AND RADIUS ROD
SPRING SUSPENSION - 1.50" AXLE SPACER
STANDARD AXLE SEATS IN AXLE CLAMP
GROUP
FORE/AFT CONTROL RODS

Brake System

WABCO 4S/4M ABS
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9SI BRAKE LINE AIR DRYER WITH
HEATER
BENDIX OIL COALESCING FILTER FOR AIR
DRYER
AIR DRYER MOUNTED INBOARD ON LH RAIL
STEEL AIR TANKS MOUNTED AFT INSIDE
AND/OR BELOW FRAME JUST FORWARD OF
REAR SUSPENSION
CLEAR FRAME RAIL 36 INCHES FROM BACK OF
CAB INSIDE/OUTBOARD AND BELOW RH FRAME
RAIL
PULL CABLES ON ALL AIR RESERVOIR(S)

Trailer Connections

AIR CONNECTIONS TO END OF FRAME WITH
GLAD HANDS FOR TRUCK AND NO DUST
COVERS

Description

PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
 NO TRAILER CABLE RECEPTACLE
 SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
 NO TRAILER RECEPTACLE BRACKET

Wheelbase & Frame

4925MM (194 INCH) WHEELBASE
 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
 PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
 BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW
 1600MM (63 INCH) REAR FRAME OVERHANG
 FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
 24 INCH INTEGRAL FRONT FRAME EXTENSION
 CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 112.68 in
 CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 109.68 in
 CALC'D FRAME LENGTH - OVERALL : 308.58
 FRAME HEIGHT TOP FRONT UNLADEN : 34.12 in
 FRAME HEIGHT TOP FRONT LADEN : 30.73 in
 FRAME HEIGHT TOP REAR UNLADEN : 44.04 in
 FRAME HEIGHT TOP REAR LADEN : 40.93 in
 CALCULATED FRAME SPACE LH SIDE : 68.32 in
 CALCULATED FRAME SPACE RH SIDE : 186.67 in
 CALC'D SPACE AVAILABLE FOR DECKPLATE : 112.78 in
 SQUARE END OF FRAME
 REAR TOW HOOKS
 STANDARD WEIGHT ENGINE CROSSMEMBER
 STANDARD CROSSMEMBER BACK OF TRANSMISSION
 STANDARD MIDSHIP #1 CROSSMEMBER(S)
 STANDARD REARMOST CROSSMEMBER

	Description
	HEAVY DUTY SUSPENSION CROSSMEMBER STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER
Chassis Equipment	14 INCH PAINTED STEEL BUMPER FRONT TOW HOOKS - FRAME MOUNTED BUMPER MOUNTING FOR SINGLE LICENSE PLATE FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS GRADE 8 THREADED HEX HEADED FRAME FASTENERS EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE
Fuel Tanks	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH 25 INCH DIAMETER FUEL TANK(S) PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS FUEL TANK(S) FORWARD PLAIN STEP FINISH FUEL TANK CAP(S) DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR EQUIFLO INBOARD FUEL SYSTEM HIGH TEMPERATURE REINFORCED NYLON FUEL LINE NO FUEL COOLER
Tires	MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL FRONT TIRES MICHELIN X WORKS XDY 315/80R22.5 20 PLY RADIAL REAR TIRES
Hubs	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS WEBB IRON REAR HUBS
Wheels	

Description

ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25
 INSET 5-HAND STEEL DISC FRONT WHEELS
 ACCURIDE 29300 22.5X9.00 10-HUB PILOT 5-
 HAND STEEL DISC REAR WHEELS
 NO FRONT AXLE WHEEL/HUB COVER
 FRONT WHEEL MOUNTING NUTS
 REAR WHEEL MOUNTING NUTS
 NYLON WHEEL GUARDS FRONT AND REAR ALL
 INTERFACES

Cab Exterior

110 INCH BBC STEEL CONVENTIONAL CAB
 WESTERN STAR PAINTED ALUMINUM CAB
 SKIRT
 AIR CAB MOUNTS WITH CHECK VALVE
 RACEWAY WITHOUT MISCELLANEOUS CUSTOM
 CAB REQUIREMENTS
 NONREMOVABLE BUGSCREEN MOUNTED
 BEHIND GRILLE
 FRONT FENDERS
 2 INCH FENDER EXTENSIONS
 LH AND RH EXTERIOR GRAB HANDLES WITH
 RUBBER INSERTS AND RH INTERIOR GRAB
 HANDLE MOUNTED TO A POST
 STATIONARY BRIGHT FINISH GRILLE
 CHROME HOOD MOUNTED AIR INTAKE GRILLE
 GALVANEALD STEEL SEVERE SERVICE CAB
 FIBERGLASS HOOD WITH ACCESS HATCHES
 DUAL HADLEY SD-978 26 INCH RECTANGULAR
 AIR HORNS
 SINGLE ELECTRIC HORN
 DUAL HORN SHIELDS
 DOORS AND IGNITION KEYED THE SAME
 REAR LICENSE PLATE MOUNT END OF FRAME
 DUAL AMBER LED CLASS II STROBE LIGHTS
 WITH STAINLESS STEEL BRACKETS ABOVE
 CAB DOORS
 SINGLE RECTANGULAR H4 HALOGEN
 HEADLIGHTS WITH BRIGHT BEZELS
 LED MARKER LAMPS
 WIRING AND SWITCH FOR CUSTOMER
 FURNISHED SNOW PLOW LAMPS WITH DUAL
 CONNECTIONS AT BUMPER

Description

DAYTIME RUNNING LIGHTS
 INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
 STANDARD FRONT TURN SIGNAL LAMPS
 DUAL WEST COAST STAINLESS STEEL HEATED
 MIRRORS WITH LH AND RH REMOTE
 DOOR MOUNTED MIRRORS
 102 INCH EQUIPMENT WIDTH
 LH AND RH SUREPLUS 574 8 INCH BRIGHT
 FINISH HEATED CONVEX MIRRORS WITH
 SEPARATE ADJUSTMENT, MOUNTED BELOW
 MIRROR
 RH DOWN VIEW MIRROR
 STANDARD SIDE/REAR REFLECTORS
 ELECTRIC DOOR LOCKS, MECHANICAL KEY
 TUMBLER
 FIBERGLASS EXTERIOR SUN VISOR
 17.5X35 INCH TINTED REAR WINDOW
 TINTED DOOR GLASS
 RH AND LH ELECTRIC POWERED WINDOWS
 2-PIECE ROPED-IN HEATED WIPER PARK
 SOLAR GREEN GLASS WINDSHIELD
 2 GALLON WINDSHIELD WASHER RESERVOIR
 WITH FLUID LEVEL INDICATOR, MOUNTED
 UNDER CAB, WITH REMOTE FILL

Cab Interior

SMOKY MOUNTAIN GRAY VINYL PREMIUM
 INTERIOR
 BLACK HARD TRIM
 BASE LEFT HAND DOOR TRIM
 BASE RIGHT HAND DOOR TRIM
 BLACK MATS WITH SINGLE INSULATION
 ASH CUP AND LIGHTER
 FORWARD ROOF MOUNTED CONSOLE
 14"X7.75" DOCUMENT POUCH MOUNTED ON
 BACK WALL BETWEEN SEATS
 LH AND RH DOOR MAP POCKETS
 (2) COAT HOOKS ON BACKWALL OF CAB
 (1) DOUBLE CUP HOLDER WITH CELL PHONE
 HOLDER LH OR RH DASH

Description

TWO-TONE CHARCOAL UPPER/COOL GRAY
 LOWER SOFT TOUCH WING DASH WITH BLACK
 DRIVER SIDE COSMETIC UNDER DASH COVER
 5 LB. FIRE EXTINGUISHER
 HEATER, DEFROSTER AND AIR CONDITIONER
 WITH CONSTANT TEMPERATURE CONTROL
 AND COSMETIC COVER
 HVAC DUCTING WITH FOAM MAIN FRESH AIR
 FILTER
 MAIN HVAC CONTROLS WITH RECIRCULATION
 SWITCH
 STANDARD HEATER PLUMBING
 VALEO HEAVY DUTY A/C REFRIGERANT
 COMPRESSOR
 RADIATOR MOUNTED AIR CONDITIONER
 CONDENSER
 BINARY CONTROL, R-134A
 ADDITIONAL CAB SIDEWALL INSULATION
 AUTOMATIC SELF-RESET CIRCUIT
 BREAKERS/FUSES IN DASH POWER
 DISTRIBUTION BOXES AND FUSES IN
 AUXILIARY POWER DISTRIBUTION BOXES
 DOOR ACTIVATED DOME LIGHT, UNDER DASH
 LIGHT AND LH AND RH DOOR MOUNTED
 COURTESY LIGHTS
 LH AND RH ELECTRIC DOOR LOCKS
 (1) 12 VOLT POWER SUPPLY AND (2) USB
 PORTS MOUNTED IN DASH
 TRIANGULAR REFLECTORS KIT WITHOUT
 FLARES SHIPPED LOOSE IN CAB
 PREMIUM HIGH BACK AIR SUSPENSION DRIVER
 SEAT WITH 3 CHAMBER AIR LUMBAR,
 INTEGRATED CUSHION EXTENSION, FORWARD
 AND REAR CUSHION TILT, ADJUSTABLE SHOCK
 ABSORBER
 BASIC HIGH BACK AIR SUSPENSION
 PASSENGER SEAT WITH 1 CHAMBER AIR
 LUMBAR, INTEGRATED CUSHION EXTENSION
 AND REAR CUSHION TILT
 DUAL DRIVER AND PASSENGER SEAT
 ARMRESTS
 BLACK MORDURA CLOTH DRIVER SEAT COVER
 BLACK MORDURA CLOTH PASSENGER SEAT
 COVER

Description

3 POINT DRIVER AND PASSENGER SEAT BELT
RETRACTORS
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) LEATHER WRAPPED
STEERING WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS
ELECTRONIC FOOT ACCELERATOR
BRIGHT ARGENT FINISH GAUGE BEZELS
BLACK VINYL DRIVER INSTRUMENT PANEL
BLACK VINYL CENTER INSTRUMENT PANEL
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
(1) SINGLE BRAKE APPLICATION AIR GAUGE
2 INCH PRIMARY AND SECONDARY AIR
PRESSURE GAUGES
FILTERMINDER DASH MOUNTED AIR
RESTRICTION GAUGE
97 DB BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
ICU4ME DRIVER MESSAGE CENTER WITH
GRAPHICAL DISPLAY, BLACK FACE GAUGES,
DIAGNOSTICS AND DATA LINKED
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR LOCATED BELOW LH
DASH
2 INCH ELECTRIC FUEL GAUGE
PROGRAMMABLE RPM CONTROL -
ELECTRONIC ENGINE
CUSTOMER INTERFACE CONNECTOR LOCATED
BETWEEN SEATS WITH BLUNTCUTS
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
2 INCH TRANSMISSION OIL TEMPERATURE
GAUGE

Description

ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER

(1) DASH MOUNTED PTO SWITCH WITH
INDICATOR LAMP FOR CUSTOMER INSTALLED
PTO

ELECTRIC ENGINE OIL PRESSURE GAUGE
AM/FM/WB WORLD TUNER RADIO WITH
BLUETOOTH AND USB AND AUXILIARY INPUTS,
J1939

ROOF/OVERHEAD CONSOLE MOUNTED RADIO
(4) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON RH FRONT A-
PILLAR

POWER AND GROUND WIRING FOR CB RADIO
IN OVERHEAD CONSOLE

ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION

MULTI-BAND AM/FM/WB/CB LH MIRROR
MOUNTED ANTENNA SYSTEM

UHF/VHF RADIO POWER/GROUND HARNESS TO
OVERHEAD INSTRUMENT PANEL

ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITH ODOMETER

STANDARD VEHICLE SPEED SENSOR WITH
ADDITIONAL SIGNAL FOR CUSTOMER USE
LOCATED BETWEEN DRIVER AND PASSENGER
SEATS

ELECTRONIC 3000 RPM TACHOMETER

NO VEHICLE PERFORMANCE MONITOR

IGNITION SWITCH CONTROLLED ENGINE STOP

SIX EXTRA SWITCHES IN DASH

HARDWIRE SWITCH #1, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACE CONNECTOR

HARDWIRE SWITCH #2, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACECONNECTOR

HARDWIRE SWITCH #3, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACECONNECTOR

HARDWIRE SWITCH #4, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACECONNECTOR

Description

HARDWIRE SWITCH #5, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACE CONNECTOR

HARDWIRE SWITCH #6, ON/OFF LATCHING, 20
AMPS IGNITION WIRED TO CUSTOMER
INTERFACE CONNECTOR

BW TRACTOR PROTECTION VALVE

TRAILER HAND CONTROL BRAKE VALVE

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR
WITH DELAY AND ARCTIC TYPE BLADES

MARKER LIGHT SWITCH INTEGRAL WITH
HEADLIGHT SW WITH HEADLIGHT/MRKR LT
INTERRUPTER SWITCHES ON STEERING
WHEEL & DASH SW FOR CUSTOMER
FURNISHED SNOWPLOW LTS

TWO VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH,
HEADLAMP HIGH/LOW AND FLASH,
WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Raw Performance Data

CALC'D FRAME LENGTH - OVERALL : 308.58

CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA) : 109.68 in

CALC'D SPACE AVAILABLE FOR DECKPLATE :
112.78 in

Other Information:

Everest SDS10SS3039 3034 Stainless Steel All season Body, Poly Spinner, Everest Power Tilt Hitch

R132TEL3654 Vortex Plow W144 Wing, ACC36/HCC36/ST/68 Wing Sys, 12" SS Spread Apron, (3) Coal Doors, Fold Up SS Ladder, Pioneer EDD1500 AL ASP Tarp W/Anti Sail Boar, HTO Shift Wet Spline PTO, LED Spinner Light, Center Belly Flap, Rear Cab Side LED Lights, Summer Chute, Dual Mud Flaps, LED/DOT Body Warning Light SYS, Heated Plow Lights, DEL Cab Air Controls, 24.5 Ton Pintle Hitch W/Bolt on Chipper Bar, PPG Under Body & Frame EPOXY

SDS 10 Heavy Duty Top Screen

MINIMUM BID \$143,000 - Village must be paid in full by 11/20/2024

Sealed bids must be received by the Village Clerk on October 11th, 2024 at 11 a.m. Please take notice that bids received after the exact time and date for submission or any exact amended or adjourned date and time, will not be accepted for consideration.

Any questions regarding this bid package must be received by Friday, October 4th, 2024 at 3:30 PM and answers to submitted questions, along with this package shall be posted on the Village's website at www.tannersvillenyny.org.

Prospective bidders are encouraged to register with the Village Clerk's office to receive any and all addenda should they be issued.

**VILLAGE OF TANNERSVILLE
BID PROPOSAL PACKAGE BID SHEET**

Please note a separate sheet is required for each piece of equipment.

Bid Item: _____

Sold in "as is where is" condition Bid Price: \$ _____

Bidder Name _____

Company or Municipality _____

Telephone #: _____

Email Address _____

Mailing address: _____

Dated: _____

Signature

Print Name and Title (If applicable)

VILLAGE OF TANNERSVILLE SURPLUS EQUIPMENT BID REQUEST

Non-collusive Bidding Certification

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and, in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief:

1. The prices in the bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
2. Unless otherwise required by law, the prices which have been quoted in the bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
3. No attempt has been made or will be made by the bidder to induce any other person, partnership, or corporation to submit or not to submit a bid for the purpose of restricting competition.

Date: _____

Firm's Legal Name: _____

Street Address: _____

City, State, Zip Code: _____

By: _____

(Signature of Officer)

Title: _____

Officer Name: _____

(Print)

Phone Number: _____

Fax Number: _____

E-Mail Address: _____

Taxpayer ID or Social Security Number: _____